

Medos



FrontLine
series

www.medos.pl



We have been manufacturing accessories for PVC and Aluminium joinery for over 20 years. Guided by passion and commitment, we focus on continuous development and self-improvement. Our team consists of nearly 600 people – everyone being a specialist in their field. Currently, on the Polish market, we supply over 80% of PVC and aluminum joinery manufacturers, and our products can be found in more than 60 countries on 5 continents.

The company has its own aluminum and ZnAl foundry, a powder painting shop, an electroplating plant and an anodising plant. Thanks to qualified staff, own tool shop equipped with modern numerical machine tools and advanced automation of production lines, MEDOS is able to flexibly respond to market demand. To meet the expectations of customers, the company constantly introduces new technologies and extends the product range.

Our new FrontLine door handles series is our latest creation !



Join us, together we will open the door to success!

Catalog

FrontLine

series

Index

Door handles

Dublin35	04
Dublin50	06
Brussels	08
Oslo	10
Berlin	12
Warsaw	14

Pull handles


Paris	16
Lisbon	18
Madrid	20

Additional door cylinder rosette


Sofia	22
Riga	23



Dublin35



Technical drawing



Set

F1, F3, F4, F6 (Inox), F9, F9005

	Inner plate thickness (mm)	Inner plate width (mm)	Outer plate thickness (mm)	Outer plate width (mm)
Handle - handle	10	35	10	35
Handle - pull handle	10	35	10	35
Handle + Handle - additional rosette for single sided pull handle	10	35	8,5	30
Double sided additional lock rosette	10	35	10	35
Double sided additional lock rosette for Handle - pull handle, long	10	35	8,5	30



Dublin50



Handle - handle

Handle – pull handle

Handle + Handle – additional rosette for single sided pull handle

Double sided additional lock rosette

Double sided additional lock rosette for Handle – pull handle, long

Inner plate thickness (mm)	Inner plate width (mm)	Outer plate thickness (mm)	Outer plate width (mm)
8,5	50	8,5	50
8,5	50	8,5	50
8,5	50	8,5	30
8,5	50	8,5	50
8,5	50	8,5	30



Brussels



Handle - handle

Handle – pull handle

Handle + Handle – additional rosette for single sided pull handle


Double sided additional lock rosette

Double sided additional lock rosette for Handle – pull handle, long


Inner plate thickness (mm)	Inner plate width (mm)	Outer plate thickness (mm)	Outer plate width (mm)
10	35	10	35
10	35	10	35
10	35	8,5	30
10	35	10	35
10	35	8,5	30



Oslo



Technical drawing



Set


F1, F3, F4, F6 (Inox), F9, F9005

	Inner plate thickness (mm)	Inner plate width (mm)	Outer plate thickness (mm)	Outer plate width (mm)
Handle - handle	8,5	50	8,5	50
Handle - pull handle	8,5	50	8,5	50
Handle + Handle - additional rosette for single sided pull handle	8,5	50	8,5	30
Double sided additional lock rosette (x)	8,5	50	8,5	50
Double sided additional lock rosette for Handle - pull handle (x)	8,5	50	8,5	30
Double sided additional lock rosette, long (y)	8,5	50	8,5	50
Double sided additional lock rosette for Handle - pull handle, long (y)	8,5	50	8,5	30




Berlin






Technical drawing




Set

F1, F3, F4, F6 (Inox), F9, F9005


	Inner plate thickness (mm)	Inner plate width (mm)	Outer plate thickness (mm)	Outer plate width (mm)
Handle - handle	8,5	50	8,5	50
Handle - pull handle	8,5	50	8,5	50
Handle + Handle - additional rosette for single sided pull handle	8,5	50	8,5	30
Double sided additional lock rosette (x)	8,5	50	8,5	50
Double sided additional lock rosette for Handle - pull handle (x)	8,5	50	8,5	30
Double sided additional lock rosette, long (y)	8,5	50	8,5	50
Double sided additional lock rosette for Handle - pull handle, long (y)	8,5	50	8,5	30



Warsaw



Technical drawing



Set

F1, F3, F4, F6 (Inox), F9, F9005

	Inner plate thickness (mm)	Inner plate width (mm)	Outer plate thickness (mm)	Outer plate width (mm)
Handle - handle	8,5	50	8,5	50
Handle - pull handle	8,5	50	8,5	50
Handle + Handle - additional rosette for single sided pull handle	8,5	50	8,5	30
Double sided additional lock rosette	8,5	50	8,5	50
Double sided additional lock rosette for Handle - pull handle, long	8,5	50	8,5	30




Paris

Paris


Technical drawing




A	B
300	500
450	650
500	800
500	1000
800	1200
1000	1500
1000	1700



45°



90°






Lisbon

Lisbon


Technical drawing




A	B
300	500
450	650
500	800
500	1000
800	1200
1000	1500
1000	1700



45°



90°






Madrid

Madrid


Technical drawing




A	B
300	500
450	650
500	800
500	1000
800	1200
1000	1500
1000	1700




45°




90°



Double sided main lock rosette **Sofia**



Double sided additional lock rosette **Sofia +**




Set


F1, F3, F4, F6 (Inox), F9, F9005

	Inner plate thickness (mm)	Outer plate thickness (mm)
Double sided main lock rosette Sofia	8,5	8,5
Double sided additional lock rosette Sofia +	8,5	8,5

Double sided main lock rosette **Riga**




Double sided additional lock rosette **Riga +**




Set

F1, F3, F4, F6 (Inox), F9, F9005	Inner plate thickness (mm)	Outer plate thickness (mm)
Double sided main lock rosette Riga	8,5	8,5
Double sided additional lock rosette Riga +	8,5	8,5


Brushed Anodized colors available




F1




F3




F4



F9005



F6 (INOX)



F9

Technical specification




Safety class
Basic class



Finish
Brushed




Universal assembly
Double sided handle



Inner shield spring positioning mechanism



Made of extruded aluminium








Distance
72mm or 92mm



Number of screws
2 or 3

Table for selecting the length of screws and spindles

Plate thickness		8,5 / 8,5 mm , 8,5 / 10 mm, 10/10 mm				
Product type	Handle - handle		Handle – pull handle		Handle + Handle – additional rosette for single sided pull handle	
Door thickness (mm)	Screws (mm)	Spindle (mm)	Screws (mm)	Spindle (mm)	Screws (mm)	Spindle (mm)
37-42	50	93	50	73	50	73
43-47	55	99	55	73	55	73
48-52	60	103	60	83	60	83
53-57	65	109	65	83	65	83
58-62	70	113	70	93	70	93
63-67	75	119	75	93	75	93
68-72	80	123	80	103	80	103
73-77	85	129	85	103	85	103
78-82	90	133	90	113	90	113
83-87	95	139	95	113	95	113
88-92	100	143	100	123	100	123
93-97	105	149	105	123	105	123
98-102	110	153	110	133	110	133
103-107	115	163	115	133	115	133
108-112	120	163	120	133	120	133

Product	Description	Index -N°	Technical drawing
 L: 35 mm / 45 mm / 55 mm	Self-tapping screw for single sided pull handles 45° / 90°	10400003500 10400004500 10400005500	
	Wooden door fixing set for single sided pull handles 45° / 90°	10400000012	
 22-100 mm	Standard fixing set for the double sided pull handles Paris 45°: 114000045 Paris 90°: 114000090 Lisbon 45° / Madrid 45°: 114111145 Lisbon 90° / Madrid 90°: 114111190	114000045 114000090 114111145 114111190	
 22-100 mm	Double side fixing set for two single sided pull handles 45° / 90°	11400000010	



DOMESTIC SALES DEPARTMENT

Andrzej Lewoń

Kierownik Działu Marketingu i Handlu - Polska

Tel. +48 56 691 20 59

Kom. +48 513 193 938

andrzej@medos.pl

Zbigniew Myszk

Specjalista ds. Marketingu i Handlu

Tel. +48 56 691 20 75

Kom. +48 609 023 372

zbyszek@medos.pl

Tomasz Poniatoński

Specjalista ds. Marketingu i Handlu

Tel. +48 56 691 20 64

Kom. +48 508 186 242

tomek@medos.pl

Przemysław Lasowski

Specjalista ds. Marketingu i Handlu

Tel. +48 56 691 20 75

Kom. +48 601 277 142

przemek@medos.pl

Marcin Mąteński

Specjalista ds. Marketingu i Handlu

Tel. +48 56 691 20 58

Kom. +48 607 236 009

marcin.m@medos.pl

Karol Przybylski

Specjalista ds. Marketingu i Handlu

Tel. +48 56 691 20 59

Kom. +48 505 079 162

karol.p@medos.pl



INTERNATIONAL SALES

Łukasz Napieralski

International Sales Director

Tel. +48 56 691 20 56

Mob. +48 515 248 576

Fax +48 56 691 20 50

lukasz@medos.pl



ENG



ES



RU

Adam Szulc

Export Manager

Tel. +48 56 691 30 97

Mob. +48 609 318 148

Fax +48 56 691 20 50

as@medos.pl



ENG

Andrzej Mojsiewicz

Export Manager

Tel. +48 56 691 20 70

Mob. +48 502 718 288

andrzej.m@medos.pl



RU



LT

Grażyna Kierska

Export Manager

Tel. +48 56 662 74 14

Mob. +48 607 856 654

gk@medos.pl



FR



IT



ES

Ewa Bartoszeńska

Export Manager

Mob. +48 601 945 737

ewa.b@medos.pl



RU



ENG



MEDOS

Marian Buławka, Ewa Buławka sp.j.
ul. Magazynowa 3
86-200 Chętno / Polska

NIP: 875-10-02-162

REGON: 870568014

zamowienia@medos.pl

www.medos.pl

tel.: +48 (56) 691 20 57-59

tel/fax: +48 (56) 691 20 63

fax: +48 (56) 691 20 50