

 Made in Germany since 1923



ORIGINAL  
**LÖWE**



PRINTED ON  
RECYCLED  
PAPER

# Original LÖWE cutters 2020

for professional use in industry and trade

Every cut matters > [original-lowe.com](https://www.original-lowe.com)



## GREETING

Dear customers, business partners and friends of our Original LÖWE shears,

in August of this year we moved into our new location in Flintbek, a few kilometres south of Kiel. Two years of planning and almost one year of construction are behind us.

After 36 years at the previous location in Kiel the capacity of our production plant was exhausted, which meant we could not grow any further. Now, we are happy to work in modern offices and to produce Original LÖWE pruners and cutters – Made in Germany – for you in large, bright production facilities.

Our range of products comprises a wide variety of anvil and bypass pruners and cutters for professional use – in vineyards, orchards and horticulture, as well as for manifold industrial and craft applications.

The core of our activities is the improvement of existing products and the development of new cutting solutions. We aim to produce the best cutting tools that meet the needs of our customers.

Original LÖWE is the trusted partner for distributors and users worldwide. Original LÖWE pruners and cutters are appreciated by professionals – for over 90 years, in more than 90 countries.

I trust you will enjoy diving into the Original LÖWE world of cutting – because every cut matters!



**Randolph Schröder**  
Managing Director  
Gebr. Schröder GmbH · Flintbek

## INDEX

<b>CUTTERS FOR AUTOMOTIVE MANUFACTURING</b>	Page 34
<b>CUTTERS FOR CARPENTERS</b>	Page 18
<b>CUTTERS FOR DRAINAGE TECHNOLOGY</b>	Page 44
<b>CUTTERS FOR ELECTRICAL INSTALLERS</b>	Page 28
<b>CUTTERS FOR FLOOR LAYERS</b>	Page 10
<b>CUTTERS FOR HEATING AND SANITATION</b>	Page 36
<b>CUTTERS FOR THE LEATHER INDUSTRY</b>	Page 38
<b>CUTTERS FOR PAINTERS AND UPHOLSTERERS</b>	Page 42
<b>CUTTERS FOR SAIL MAKERS/ADVERTISING TECHNICIANS</b>	Page 40
<b>CUTTERS FOR SCALE MODELING</b>	Page 32
<b>CUTTERS FOR TILERS</b>	Page 14
<b>CUTTERS FOR WINDOW BUILDING</b>	Page 22
<b>CUTTERS FOR WORKSHOP INSTALLATION</b>	Page 46
<b>CUTTERS AND SPARE PARTS</b>	Page 48
<b>PROMOTION MATERIALS</b>	Page 67



## ORIGINAL LÖWE – OUR GUIDING PRINCIPLE

### WHAT DO WE DO?

WE MANUFACTURE AND SELL ORIGINAL LÖWE CUTTERS AND SHEARS WORLDWIDE. WE ARE EXPERTS FOR CUTTING PURPOSES – BECAUSE EVERY CUT MATTERS!

### WHAT IS OUR VISION?

GLOBAL LEADER – THE BEST SHEARS COME FROM US. WE FULFILL ANY CUTTING DESIRE OUR CUSTOMERS HAVE.

### WHAT IS IMPORTANT TO US?

#### SATISFIED EMPLOYEES

- » Appreciation and open interaction between colleagues
- » Ergonomic design of work stations to ensure the absence of physical and mental strain
- » Learn about work and business processes
- » Coaching, external counselling

#### PARTNERSHIP WITH CUSTOMERS AND SUPPLIERS

- » Honest, open and trusting interaction with business partners
- » Top quality
- » Fair prices

#### SUSTAINABLE PRODUCTION

- » Balance between automation and manual labour
- » Optimised material flow
- » Good communication with each other

#### SOCIAL COMMITMENT, GOOD DEEDS

- » Drachensee foundation
- » Plan Projekt
- » Ronald McDonald Haus
- » Assumption of daycare and nursery school costs of employees' kids



SCAN AND LEARN MORE ABOUT US

## HOW WE MAKE OUR CUTTERS: ORIGINAL LÖWE – MADE IN GERMANY

Original LÖWE pruning shears stand for durability, robustness and straightforward design. They are characterised by practical details, maximum efficiency and extreme durability in everyday use, even when temperatures drop below freezing. Every component of Original LÖWE pruning shears is designed, produced and assembled in Germany by specially trained personnel.


CNC grinding machines coupled with precision hand grinding give Original LÖWE blades their outstandingly sharp cutting edge, while continuous quality control of all components, throughout the entire production process, ensures the absolute reliability of our pruning shears.

A wide array of factors thus come together to create our unique cutting tools, which are the instruments of choice for professional users all around the world.

The steel used in Original LÖWE blades is made to our own specifications in a German steelworks. The combination of this unique steel alloy and a hardening process tailored to its precise characteristics gives the blades their unrivalled strength. The latest



## ORIGINAL LÖWE INTERNATIONAL



### OUR DISTRIBUTORS

Our international distributors and encouraged dealers take good care for a worldwide availability of our products in more than 90 countries, providing our Original LÖWE products – top class pruners, loppers and cutting tools.

Please find the contacts in alphabetical order per country on our website:

[www.original-loewe.com/international](http://www.original-loewe.com/international).



SCAN AND FIND YOUR DISTRIBUTION PARTNER FROM OVER 90 COUNTRIES WORLDWIDE.



#### Certified as an AEO (Authorised Economic Operator)

Authorised Economic Operators are particularly reliable and trustworthy international merchandise management partners. Certification stands for high standards of quality and safety and a transparent corporate culture founded on trust.

## COMPANY IDEALS AND SOCIAL RESPONSIBILITY

Social encouragement for us means to be aware of the responsibility towards the community, getting active and giving support to other organizations which are doing social engaged practical work, too.

It lies close to our heart supporting local and international projects at the same time as well as we care for our employees. Our company is future orientated conducting a sustainable growth with regard to society and environment.



#### Drachensee foundation

For many years we cooperate with the Drachensee Foundation (Stiftung Drachensee). This foundation is one of the biggest social institutions in the province of Schleswig-Holstein that provides a differentiated choice to people with disabilities. The institution offers 620 recognized workshop places at three locations in Kiel. In the department for metal working approximately 80 employees assemble Original LÖWE pruning shears and cutters for industry and trade.



#### Ronald McDonald House Kiel

The Ronald McDonald House in Kiel is a beautiful villa made of red brick, which provides a temporary home to families with seriously ill children. While the diseased children are treated in the neighboring University Hospital, their families live in one of the apartments of the house and can accompany the treatment at close range.

Since 2012 we sponsor the apartment no. 5 in the Ronald McDonald House in Kiel. Consistently we have positive experiences in which families and their children will be helped and our social commitment becomes a matter of the heart.



#### Plan International Deutschland e.V.

Since 2006, we have sponsorships for children in Africa, Asia, Central and South America. Today we support a total of 40 children. Plan's vision is a world in which all children realize their full potential in societies that respect people's rights and dignity.

Through our sponsorship at Plan we want to help children to grow up healthy and develop freely. We offer our sponsored children the chance of education, medical assistance and participate with joy in their development.



#### Eco-power certificate

Since 2012, we get our power completely from renewable energy sources. In this case the power generation takes place in alpine water power stations at 100%. Neither climate-damaging CO<sub>2</sub> emissions, nor nuclear waste or other pollution emerge.

With this decision our company likewise accepts with this decision our company accepts the responsibility for our environment, human being and nature.



#### Raceyard

We sponsor the Formula Student Team "Raceyard" of the Kiel University of Applied Sciences. In this project, students work in a team to build a single seat race car with electric motor to compete with other teams from around the world. The winning team does not necessarily have the fastest car, rather the best overall package.



Furthermore we support various youth sports divisions in our regional area and contribute with this support to healthy activity and sporty society.

## EXAMPLE OF USE



### Original LÖWE 5.105

Small anvil cutter  
25 mm | 1" length of cut

Page 66



### Original LÖWE 1.105

Anvil cutter  
40 mm | 1 5/8" length of cut

Page 49



### Original LÖWE 3.105

Anvil cutter  
50 mm | 2" length of cut

Page 50



### Original LÖWE 3.305

Anvil cutter  
75 mm | 3" length of cut

Page 54



### Original LÖWE 3.101

Mitre cutter  
with stop faces at 45°  
50 mm | 2" length of cut

Page 50



### Original LÖWE 3.104

Mitre cutter  
with stop faces at 45°  
50 mm | 2" length of cut

Page 50



### Original LÖWE 3.804

Mitre cutter  
with trapezoidal blade  
with stop faces at 45°  
50 mm | 2" length of cut

Page 59



### Original LÖWE 3.104/HÜ

Mitre cutter  
with leverage  
with stop faces at 45°  
50 mm | 2" length of cut

Page 52



### Original LÖWE 3.306/HÜ

Slat cutter  
with leverage  
with stop faces at 90°  
75 mm | 3" length of cut

Page 55



### Original LÖWE 3.806

Flat ribbon cable cutter  
with trapezoidal blade  
with stop faces at 90°  
50 mm | 2" length of cut


Page 59



### Original LÖWE 3.604

Cable duct cutter  
with stop faces at 45°  
75 mm | 3" length of cut

Page 56



### Original LÖWE 3.605

Cable duct cutter  
without stop faces  
75 mm | 3" length of cut

Page 56



### Original LÖWE 3.204/16U19

Tube cutter  
Ø 16 mm | 5/8" and 19 mm | 3/4"

Page 53



### Original LÖWE 3.204/P90

Tube and hose cutter  
Ø max. 32 mm | 1 1/4"

Page 53



### Original LÖWE 5.104/P90

Tube and hose cutter  
small version  
Ø max. 15 mm | 3/5"

Page 65



### Original LÖWE 5.504

Hose cutter  
with triangular blade  
Ø max. 28 mm | 1 1/8"

Page 66



### Original LÖWE 4.104/VR

Cutter for sealing profiles  
at windows and doors V-cut,  
for cutting outer corners, fold  
inner edge, with draw-in roller

Page 61



### Original LÖWE 4.104/Y

Cutter for sealing profiles  
at windows and doors  
Y-cut, for cutting inner corners

Page 62



### Original LÖWE 4.204

Cutter for sealing profiles  
A-Cut

Page 64



### Original LÖWE 3.904/11


Hand eyelet press  
self-piercing eyelets  
Ø 11 mm | 7/16"

Page 60

# Original LÖWE cutters for floor layers



Floor layers | Tilers | Carpenters | Window building | Electrical installers  
 Scale modeling | Automotive Manufacturing | Heating and sanitation | Leather industry  
 Sail makers/advertising technicians | Painters and upholsterers | Drainage technology  
 Workshop installation | Cutters and spare parts | Promotion materials



» WITH ORIGINAL LÖWE 3.104, MY WORK IS SMOOTHER, MORE PRECISE AND MORE EFFICIENT THAN WITH A SAW. «

Philipp Geil, Master Parquet Installer, cuts with Original LÖWE 3.104

+ All spare parts of Original LÖWE cutters for floor layers can be found from page 48.

## OUR ORIGINAL LÖWE ASSORTMENT OF CUTTERS FOR FLOOR LAYERS

Mitre cutters and slat cutters – with or without lever transmission – are indispensable tools for floor layers. They cut three-quarter round slats, threshold profiles, aluminium rails, carpet and facing strips and a wide variety of material types.



**Original LÖWE 3.101 Mitre cutter**  
 with metallic handle, with stop faces at 45°, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"  
 340 g  $s_{max} = 50\text{ mm} | 2"$   
 $h_{max} = 15\text{ mm} | 3/5"$   $b_{max} = 35\text{ mm} | 1 3/8"$ 
 4 033119 000209



**Original LÖWE 3.104 Mitre cutter**  
 with stop faces at 45°, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"  
 375 g  $s_{max} = 50\text{ mm} | 2"$   
 $h_{max} = 15\text{ mm} | 3/5"$   $b_{max} = 35\text{ mm} | 1 3/8"$ 
 4 033119 000216



**Original LÖWE 3.104/HU Mitre cutter**  
 with leverage, with stop faces at 45°, 50 mm length of cut, for hard and flat wood, plastic and rubber materials

21 cm | 8 1/4"  
 390 g  $s_{max} = 50\text{ mm} | 2"$   
 $h_{max} = 5\text{ mm} | 1/5"$   $b_{max} = 35\text{ mm} | 1 3/8"$ 
 4 033119 000223



**Original LÖWE 3.106 Slat cutter**  
 with stop faces at 90°, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"  
 370 g  $b_{max} = 50\text{ mm} | 2"$   
 $h_{max} = 10\text{ mm} | 3/7"$ 
 4 033119 000230



**Original LÖWE 3.804 Mitre cutter with trapezoidal blade**  
 with stop faces at 45°, 50 mm length of cut, with trapezoidal blade: quick exchange without disassembly, for soft wood, plastic and rubber materials

21 cm | 8 1/4"  
 390 g  $s_{max} = 50\text{ mm} | 2"$   
 $h_{max} = 7,5\text{ mm} | 3/10"$   $b_{max} = 35\text{ mm} | 1 3/8"$ 
 4 033119 000452



### Original LÖWE 3.306 Slat cutter


with stop faces at 90°, 75 mm length of cut,  
for wood, plastic and rubber materials

24.5 cm | 9 5/8"

445 g



b<sub>max</sub> = 75 mm | 3"



h<sub>max</sub> = 10 mm  
3/7"



### Original LÖWE 3.306/HU Slat cutter


with leverage, with stop faces at 90°, 75 mm length of cut,  
for hard and flat wood, plastic and rubber materials

24.5 cm | 9 5/8"


480 g



b<sub>max</sub> = 75 mm | 3"



h<sub>max</sub> = 5 mm  
1/5"



### Original LÖWE 50.130 Lever cutter

with stop faces at 45° and 90°, 130 mm length of cut,  
for large-format rails and profiles in a wide variety of materials

58 cm | 22 7/8"


3600 g



b<sub>max</sub> = 130 mm | 5 1/8"



h<sub>max</sub> = 30 mm  
1 3/16"



#### 1 3.104 MITRE CUTTER

For burr-free and exact cutting of three-quarter round slats on a mitre (45° angle).

#### 2 3.106 SLAT CUTTER

For exact, perpendicular cutting of threshold profiles.

#### 3 3.306 SLAT CUTTER

For burr-free and exact cutting of facing strips at a right angle.

#### 4 3.804 MITRE CUTTER WITH TRAPEZOIDAL BLADE

For burr-free and exact cutting of quarter round slats on a mitre (45° angle).



SCAN QR-CODE AND WATCH OUR APPLICATION VIDEOS



All spare parts of Original LÖWE cutters for floor layers can be found from page 48.

# Original LÖWE cutters for tilers



Floor layers | **Tilers** | Carpenters | Window building | Electrical installers  
 Scale modeling | Automotive Manufacturing | Heating and sanitation | Leather industry  
 Sail makers/advertising technicians | Painters and upholsterers | Drainage technology  
 Workshop installation | Cutters and spare parts | Promotion materials

## OUR ORIGINAL LÖWE ASSORTMENT OF CUTTERS FOR TILERS

Original LÖWE cutters are used by tilers to cut tile profiles on a mitre or to cut aluminium tile profiles, etc. Formation of burrs on the material and messes created from chips are avoided with the use of cutters.




### Original LÖWE 3.101 Mitre cutter

with metallic handle, with stop faces at 45°, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

340 g



4 033119 000209




### Original LÖWE 3.104 Mitre cutter

with stop faces at 45°, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

375 g



4 033119 000216




### Original LÖWE 3.105 Universal anvil cutter

50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

325 g



4 033119 000179




### Original LÖWE 3.106 Slat cutter

with stop faces at 90°, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

370 g



4 033119 000230




### Original LÖWE 3.106/HU Slat cutter


with leverage, with stop faces at 90°, 50 mm length of cut, for hard and flat wood, plastic and rubber materials

21 cm | 8 1/4"

410 g



4 033119 000582



» I AM VERY IMPRESSED WITH HOW EASY I CAN CUT ALUMINIUM TILE PROFILES WITH ORIGINAL LÖWE 3.106/HU FOR SIGNIFICANT EASIER WORK WITH OUTSTANDING RESULTS. «


Mike Langfeldt, Master Tiler, cuts with Original LÖWE 3.106/HU

✦ All spare parts of Original LÖWE cutters for tilers can be found from page 48.




**Original LÖWE 3.804**  
 Mitre cutter with trapezoidal blade

with stop faces at 45°, 50 mm length of cut, with trapezoidal blade: quick exchange without disassembly, for soft wood, plastic and rubber materials




**Original LÖWE 3.805**  
 Universal anvil cutter with trapezoidal blade

50 mm length of cut, with trapezoidal blade: quick exchange without disassembly, for soft wood, plastic and rubber materials



**Original LÖWE 3.806**  
 Flat ribbon cable cutter with trapezoidal blade

with stop faces at 90°, 50 mm length of cut, with trapezoidal blade: quick exchange without disassembly, for soft wood, plastic and rubber materials



**1 3.106/HU SLAT CUTTER**

For burr-free and exact cutting of aluminium tile profiles.

**2 3.104 MITRE CUTTER**

For burr-free and exact cutting of plastic tile profiles.

**3 3.804 MITRE CUTTER WITH TRAPEZOIDAL BLADE**

For burr-free and exact cutting of plastic tile profiles.



SCAN QR-CODE AND WATCH OUR APPLICATION VIDEOS

+ All spare parts of Original LÖWE cutters for tilers can be found from page 48.

# Original LÖWE cutters for carpenters



Floor layers | Tilers | **Carpenters** | Window building | Electrical installers  
 Scale modeling | Automotive Manufacturing | Heating and sanitation | Leather industry  
 Sail makers/advertising technicians | Painters and upholsterers | Drainage technology  
 Workshop installation | Cutters and spare parts | Promotion materials



» THIS CUTTER IS SO GOOD, THAT I WOULD ADVERTISE IT! «

*Christian Sörensen, Master Carpenter, cuts with Original LÖWE 3.804*

+ All spare parts of Original LÖWE cutters for carpenters can be found from page 48.

## OUR ORIGINAL LÖWE ASSORTMENT OF CUTTERS FOR CARPENTERS

Original LÖWE mitre and slat cutters are the ideal tools for burr-free and exact cutting of plastic and wooden strips, as well as rubber seals. Perfectly cut edges ensure smooth and exact workmanship and the elimination of chips ensures a clean work environment.




### Original LÖWE 3.101 Mitre cutter

with metallic handle, with stop faces at 45°, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

340 g



4 033119 000209




### Original LÖWE 3.104 Mitre cutter

with stop faces at 45°, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

375 g



4 033119 000216




### Original LÖWE 3.106 Slat cutter

with stop faces at 90°, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

370 g



4 033119 000230




### Original LÖWE 3.106/HU Slat cutter

with leverage, with stop faces at 90°, 50 mm length of cut, for hard and flat wood, plastic and rubber materials

21 cm | 8 1/4"

410 g



4 033119 000582




### Original LÖWE 3.106/50K Slat cutter

with stop faces at 90°, with plastic underlayment, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

315 g



4 033119 000766



**Original LÖWE 3.306/HU Slat cutter**  
 with leverage, with stop faces at 90°, 75 mm length of cut,  
 for hard and flat wood, plastic and rubber materials

24.5 cm   9 5/8"	$b_{max} = 75 \text{ mm}   3"$	4 033119 000278
480 g	$h_{max} = 5 \text{ mm}   1/5"$	



**Original LÖWE 3.804**  
 Mitre cutter with trapezoidal blade  
 with stop faces at 45°, 50 mm length of cut, with trapezoidal blade: quick  
 exchange without disassembly, for soft wood, plastic and rubber materials

21 cm   8 1/4"	$s_{max} = 50 \text{ mm}   2"$	4 033119 000452
390 g	$h_{max} = 7,5 \text{ mm}   3/10"$ $b_{max} = 35 \text{ mm}   1 3/8"$	

SCAN QR-CODE AND  
 WATCH OUR  
 APPLICATION VIDEOS



**1 3.104 MITRE CUTTER**  
 For burr-free and exact cutting of  
 wooden moulding on a mitre.

**2 3.106/50K SLAT CUTTER**  
 For burr-free and easy tailoring  
 of individual dowels.

**3 3.804 MITRE CUTTER WITH  
 TRAPEZOIDAL BLADE**  
 For burr-free and exact cutting of soft and  
 thin wooden strips and wooden edging.

**4 3.101 MITRE CUTTER**  
 For burr-free and exact cutting  
 of three-quarter round slats.

**5 3.106 SLAT CUTTER**  
 For burr-free and exact cutting  
 of hollow slats.

All spare parts of Original LÖWE cutters for carpenters can be found from page 48.

# Original LÖWE cutters for window building



» THE BEST RESULTS CAN ONLY BE ACHIEVED WITH THE BEST TOOLS, WHICH IS WHY I HAVE SWORN BY ORIGINAL LÖWE CUTTERS FOR YEARS. «

*Olaf Jöster, Master Carpenter, cuts with Original LÖWE 4.104/VR*

✦ All spare parts of Original LÖWE cutters for window building can be found from page 48.



Floor layers | Tilers | Carpenters | **Window building** | Electrical installers  
 Scale modeling | Automotive Manufacturing | Heating and sanitation | Leather industry  
 Sail makers/advertising technicians | Painters and upholsterers | Drainage technology  
 Workshop installation | Cutters and spare parts | Promotion materials

## OUR ORIGINAL LÖWE ASSORTMENT OF CUTTERS FOR WINDOW BUILDING

Original LÖWE cutters are indispensable tools in window building for burr-free and exact cutting of plastic moulding, seal strips, wooden moulding and for tailoring of seal profiles.



### Original LÖWE 3.101 Mitre cutter


with metallic handle, with stop faces at 45°, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

340 g



S<sub>max</sub> = 50 mm | 2"



### Original LÖWE 3.104 Mitre cutter


with stop faces at 45°, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

375 g



S<sub>max</sub> = 50 mm | 2"



### Original LÖWE 3.106 Slat cutter


with stop faces at 90°, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

370 g



b<sub>max</sub> = 50 mm | 2"



### Original LÖWE 3.106/50K Slat cutter


with stop faces at 90°, with plastic underlayment, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

315 g



b<sub>max</sub> = 50 mm | 2"



### Original LÖWE 3.804 Mitre cutter with trapezoidal blade


with stop faces at 45°, 50 mm length of cut, with trapezoidal blade: quick exchange without disassembly, for soft wood, plastic and rubber materials

21 cm | 8 1/4"

390 g



S<sub>max</sub> = 50 mm | 2"



✦ Also available for window building: Original LÖWE 3.806 Flat ribbon cable cutter with trapezoidal blade for soft wood, plastic and rubber materials (page 59).

### HOW TO USE OUR CUTTERS FOR SEALING PROFILES:


Use V-Cut | outer corner

Use Y-Cut | inner corner



1. Fix window seal and let it run down across window-frame 2. Apply cutter flush with first stop angle to window-frame, then position window seal straight on base 3. The result of the following cut is a notch in the window seal 4. Now it's possible to fix the window seal at right angles easily 5. For the final cut apply cutter with second stop angle at window seal 6. The beginning and end of the window seal meet flush

1. Fix window seal and let it run down across window-frame 2. Apply cutter flush with stop plate to window-frame, then position window seal straight on base 3. The result of the following cut is a notch in the window seal 4. With the gained rear tension release of the seal, it's possible to fix the window seal at right angles easily 5. Now the window seal can be fitted easily into the corner 6. The result is an efficient and uninterrupted inner corner of the window seal



SCAN QR-CODE AND WATCH OUR APPLICATION VIDEOS



### Original LÖWE 4.104/V Cutter for sealing profiles

V-cut, fold outer edge, for cutting outer corners of window sealing profiles



### Original LÖWE 4.104/VR Cutter for sealing profiles

V-cut, fold outer edge, with draw-in roller, for cutting outer corners of window sealing profiles



### Original LÖWE 4.104/Y Cutter for sealing profiles

Y-cut, for cutting inner corners of window sealing profiles




### Original LÖWE 4.104/YR Cutter for sealing profiles

Y-cut, with draw-in roller, for cutting inner corners of window sealing profiles




### Original LÖWE 4.204 Cutter for sealing profiles

A-cut, reverse arrangement of the blades compared to model 4.104, for expansion beads of facade sealing band






Y-CUT

(All dimensions in mm)



V-CUT



**1 3.106 SLAT CUTTER**

For burr-free and exact cutting of plastic moulding at a right angle.

**2 3.806 FLAT RIBBON CABLE CUTTER WITH TRAPEZOIDAL BLADE**

For burr-free and exact cutting of hollow cover strips at a right angle.

**3 3.804 MITRE CUTTER WITH TRAPEZOIDAL BLADE**

For burr-free and exact cutting of wooden moulding on a mitre.

**4 3.106/50K SLAT CUTTER**

For burr-free and exact cutting of sealing strip at a right angle.

**5 6 3.101 MITRE CUTTER**

For burr-free and exact cutting of quarter round slats on a mitre.



All spare parts of Original LÖWE cutters for window building can be found from page 48.

# Original LÖWE cutters for electrical installers



Floor layers | Tilers | Carpenters | Window building | **Electrical installers**  
 Scale modeling | Automotive Manufacturing | Heating and sanitation | Leather industry  
 Sail makers/advertising technicians | Painters and upholsterers | Drainage technology  
 Workshop installation | Cutters and spare parts | Promotion materials



» I CAN WORK MUCH MORE FLEXIBLE AND EFFECTIVE WITH ORIGINAL LÖWE CABLE CONDUIT CUTTERS. IT MAKES AN INCREDIBLE DIFFERENCE. «

*Johannes Rohwer, Mechatronic Technician, cuts with Original LÖWE 3.606*

✦ All spare parts of Original LÖWE cutters for electrical installers can be found from page 48.

## OUR ORIGINAL LÖWE ASSORTMENT OF CUTTERS FOR ELECTRICAL INSTALLERS

Original LÖWE cutters enable burr-free and exact cutting of cable conduit and plastic rails for electrical installation. The cutters are available with faces for 45° or 90° or without faces. The model with lever transmission is especially well-suited for cutting flat and particularly hard materials.




### Original LÖWE 3.204/16U19 Tube cutter

for PVC pipes with diameters of 16 mm and 19 mm

21.5 cm | 8 1/2"

360 g



Ø = 16 mm and 19 mm  
 5/8" and 3/4"  
 other diameters  
 available on request



4 033119 000346




### Original LÖWE 3.204/P90 Tube and hose cutter

for PVC pipes and hoses

21.5 cm | 8 1/2"

370 g



4 033119 000391




### Original LÖWE 3.604 Cable duct cutter

with stop faces at 45°, 75 mm length of cut,  
 for PVC cables, wiring conduits and plastic rails

24.5 cm | 9 5/8"

400 g



4 033119 000285




### Original LÖWE 3.606 Cable duct cutter

with stop faces at 90°, 75 mm length of cut,  
 for PVC cables, wiring conduits and plastic rails

24.5 cm | 9 5/8"

390 g



4 033119 000520




### Original LÖWE 3.606/HU Cable duct cutter

with leverage, with stop faces at 90°, 75 mm length of cut,  
 for hard and flat PVC cables, wiring conduits and plastic rails

24.5 cm | 9 5/8"

425 g



4 033119 000544



**Original LÖWE 3.704/16U19 Tube cutter**  
 for cable conduits with diameters of 16 mm and 19 mm

23 cm | 9 1/16"

315 g

$\varnothing = 16 \text{ mm and } 19 \text{ mm}$   
 $\frac{5}{8}'' \text{ and } \frac{3}{4}''$   
 other diameters  
 available on request

4 033119 000421



**Original LÖWE 5.104/P90 Tube and hose cutter**  
 small version,  
 for PVC pipes and hoses

17.5 cm | 6 3/4"

200 g

$b_{\text{max}} = 15 \text{ mm}$   
 $\frac{3}{5}''$   $\varnothing_{\text{max}} = 15 \text{ mm}$   
 $\frac{3}{5}''$   
 $h_{\text{max}} = 15 \text{ mm}$   
 $\frac{3}{5}''$

4 033119 000407



**Original LÖWE 5.504 Hose cutter**  
 with triangular blade, cutting capacity up to a diameter of 28 mm,  
 for corrugated pipes and soft hoses

23 cm | 9 1/16"

270 g

$\varnothing_{\text{max}} = 28 \text{ mm}$   
 $1 \frac{1}{8}''$

4 033119 000773



**Original LÖWE 51.130 Lever cutter**  
 with stop faces at 90°, 130 mm length of cut,  
 for large-format PVC wiring conduits  
 and hard and flat plastic rails

58 cm | 22 7/8"

3800 g

$b_{\text{max}} = 130 \text{ mm}$   
 $5 \frac{1}{8}''$   
 $h_{\text{max}} = 10 \text{ mm}$   
 $\frac{3}{4}''$

4 033119 000797



SCAN QR-CODE AND  
 WATCH OUR  
 APPLICATION VIDEOS

All spare parts of Original LÖWE cutters for electrical installers can be found from page 48.



**1 3.606 CABLE DUCT CUTTER**

For burr-free and easy cutting wire and cable conduit at a 90° angle.

**2 3.606/HU CABLE DUCT CUTTER**

For burr-free and easy cutting of wire and cable conduit at a 90° angle with lever transmission especially well-suited for thicker and harder conduit.

**3 5.504 HOSE CUTTER**

For exact and perpendicular cutting of corrugated pipe at the crest or trough of the corrugation.

# Original LÖWE cutters for scale modeling




Floor layers | Tilers | Carpenters | Window building | Electrical installers

Scale modeling | Automotive Manufacturing | Heating and sanitation | Leather industry

Sail makers/advertising technicians | Painters and upholsterers | Drainage technology

Workshop installation | Cutters and spare parts | Promotion materials



## 1 2 3.805 ANVIL CUTTER WITH TRAPEZOIDAL BLADE

For burr-free and exact cutting of soft materials, such as plastic rods, wooden rods or balsa wood.

## 3 3.101 MITRE CUTTER

For burr-free and exact cutting of wooden strips on a mitre.

» WORKING WITH DELICATE MATERIALS IS A CENTRAL ELEMENT OF DAILY WORK IN SCALE MODELING. THE DESIRED RESULTS CAN ONLY BE ACHIEVED WITH ABSOLUTELY PRECISE TOOLS, WHICH IS WHY MY ORIGINAL LÖWE CUTTER IS ONE OF MY STANDARD TOOLS. «

*Pia Jahn, Model Builder, cuts with Original LÖWE 3.805*



All spare parts of Original LÖWE cutters for scale modeling can be found from page 48.

## OUR ORIGINAL LÖWE ASSORTMENT OF CUTTERS FOR SCALE MODELING

Exact and burr-free cutting are mandatory for perfect results in scale modeling. Original LÖWE cutters are the ideal tools for a wide range of applications, including very soft materials. Original LÖWE cutters have been a standard tool for nativity building for decades.




### Original LÖWE 3.101 Mitre cutter

with metallic handle, with stop faces at 45°, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

340 g




### Original LÖWE 3.104 Mitre cutter

with stop faces at 45°, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

375 g




### Original LÖWE 3.105 Universal anvil cutter

50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

325 g




### Original LÖWE 3.804 Mitre cutter with trapezoidal blade

with stop faces at 45°, 50 mm length of cut, with trapezoidal blade: quick exchange without disassembly, for soft wood, plastic and rubber materials

21 cm | 8 1/4"

390 g




### Original LÖWE 3.805 Universal anvil cutter with trapezoidal blade


50 mm length of cut, with trapezoidal blade: quick exchange without disassembly, for soft wood, plastic and rubber materials

21 cm | 8 1/4"

350 g



# Original LÖWE cutters for automotive manufacturing



» ORIGINAL LÖWE 5.504 IS POSITIONED ON TOP OF THE HOSE AND THEN CUTS IT FROM THE INSIDE OUT. THE CUT IS INCREDIBLY PRECISE ON SOFT HOSES. «

Volker Krüger, Automotive Mechatronic Technician, cuts with Original LÖWE 5.504

## 1 3.204/P90 TUBE AND HOSE CUTTER

For burr-free and exact cutting of plastic lines at a right angle.

## 2 5.104/P90 TUBE AND HOSE CUTTER

For burr-free and exact cutting of harder corrugated tubes at a right angle.

3 For burr-free and exact cutting of fuel hoses at a right angle.

## 4 5.504 HOSE CUTTER

For burr-free and exact cutting of softer corrugated tubes with a diameter of up to 28 mm at a right angle.

Floor layers | Tilers | Carpenters | Window building | Electrical installers  
Scale modeling | **Automotive Manufacturing** | Heating and sanitation | Leather industry  
Sail makers/advertising technicians | Painters and upholsterers | Drainage technology  
Workshop installation | Cutters and spare parts | Promotion materials



## OUR ORIGINAL LÖWE ASSORTMENT OF CUTTERS FOR AUTOMOTIVE MANUFACTURING

The requirements for exact cutting of tubes and hoses are extremely high in the automotive industry, in particular. Original LÖWE cutters enable burr-free and absolutely precise cutting of tubes, corrugated tubes, soft hoses and fuel lines.



### Original LÖWE 1.105 Universal anvil cutter

40 mm length of cut, for all materials (except for metal)

20 cm | 7 7/8"

295 g

$b_{max} = 40 \text{ mm}$   
 $1 \frac{3}{8}"$   
 $\varnothing_{max} = 22 \text{ mm}$   
 $\frac{7}{8}"$   
 $h_{max} = 7.5 \text{ mm}$   
 $\frac{3}{10}"$



### Original LÖWE 5.104/P90 Tube and hose cutter

small version, for PVC pipes and hoses

17.5 cm | 6 3/4"

200 g

$b_{max} = 15 \text{ mm}$   
 $\frac{3}{5}"$   
 $\varnothing_{max} = 15 \text{ mm}$   
 $\frac{3}{5}"$   
 $h_{max} = 15 \text{ mm}$   
 $\frac{3}{5}"$



### Original LÖWE 3.204/P90 Tube and hose cutter

for PVC pipes and hoses

21.5 cm | 8 1/2"

370 g

$b_{max} = 45 \text{ mm}$   
 $1 \frac{3}{4}"$   
 $\varnothing_{max} = 32 \text{ mm}$   
 $1 \frac{1}{4}"$   
 $h_{max} = 25 \text{ mm}$   
 $1"$



### Original LÖWE 3.806 Flat ribbon cable cutter with trapezoidal blade

with stop faces at 90°, 50 mm length of cut, with trapezoidal blade: quick exchange without disassembly, for soft wood, plastic and rubber materials

21 cm | 8 1/4"

345 g

$h_{max} = 10 \text{ mm}$   
 $\frac{3}{7}"$   
 $b_{max} = 50 \text{ mm}$   
 $2"$



### Original LÖWE 5.504 Hose cutter

with triangular blade, cutting capacity up to a diameter of 28 mm, for corrugated pipes and soft hoses

23 cm | 9 1/16"

270 g

$\varnothing_{max} = 28 \text{ mm}$   
 $1 \frac{1}{8}"$




All spare parts of Original LÖWE cutters for automotive manufacturing can be found from page 48.

# Original LÖWE cutters for heating and sanitation



Floor layers | Tilers | Carpenters | Window building | Electrical installers  
 Scale modeling | Automotive Manufacturing | **Heating and sanitation** | Leather industry  
 Sail makers/advertising technicians | Painters and upholsterers | Drainage technology  
 Workshop installation | Cutters and spare parts | Promotion materials



## 3.204/P90 TUBE AND HOSE CUTTER

For burr-free and exact cutting of aluminium composite pipes:

- 1 24 mm diameter
- 2 16 mm diameter
- 3 For burr-free and exact cutting of plastic lines for underfloor heating.

» ORIGINAL LÖWE 3.204/P90 HOSE CUTTER CUTS EASILY AND PRECISELY THROUGH ALUMINIUM COMPOSITE PIPES, WHERE OTHER TUBE CUTTERS ARE COMPLETELY USELESS. «

*Michael Biermann, Gas and Water Installer, cuts with Original LÖWE 3.204/P90*

All spare parts of Original LÖWE cutters for heating and sanitation can be found from page 48.

## OUR ORIGINAL LÖWE ASSORTMENT OF CUTTERS FOR HEATING AND SANITATION

Original LÖWE tube and hose cutters are ideal for speedy and impressive cutting of plastic pipes and aluminium composite pipes. Burrs and chips are a thing of the past and the user is significantly more mobile and is no longer bound to a fixed work station for the preparation of materials.



### Original LÖWE 3.204/P90 Tube and hose cutter

for PVC pipes and hoses

21.5 cm | 8 1/2"  
 370 g  $b_{max} = 45\text{ mm}$   $1\frac{3}{4}"$   $\varnothing_{max} = 32\text{ mm}$   $1\frac{1}{4}"$   
 $h_{max} = 25\text{ mm}$  | 1" 4 033119 000391



### Original LÖWE 5.104/P90 Tube and hose cutter

small version, for PVC pipes and hoses

17.5 cm | 6 3/4"  
 200 g  $b_{max} = 15\text{ mm}$   $3/5"$   $\varnothing_{max} = 15\text{ mm}$   $3/5"$   
 $h_{max} = 15\text{ mm}$  | 3/5" 4 033119 000407



### Original LÖWE 5.504 Hose cutter

with triangular blade, cutting capacity up to a diameter of 28 mm, for corrugated pipes and soft hoses

23 cm | 9 1/16"  
 270 g  $\varnothing_{max} = 28\text{ mm}$  | 1 1/8" 4 033119 000773




SCAN QR-CODE AND WATCH OUR APPLICATION VIDEOS



# Original LÖWE cutters for the leather industry



Floor layers | Tilers | Carpenters | Window building | Electrical installers  
 Scale modeling | Automotive Manufacturing | Heating and sanitation | **Leather industry**  
 Sail makers/advertising technicians | Painters and upholsterers | Drainage technology  
 Workshop installation | Cutters and spare parts | Promotion materials



## 1 2 3.806 FLAT RIBBON CABLE CUTTER WITH TRAPEZOIDAL BLADE

For fibre-free and exact cutting of leather belts and straps.

## 3 3.805 ANVIL CUTTER WITH TRAPEZOIDAL BLADE

For fibre-free and exact cutting of soft leather.

## 4 1.105 ANVIL CUTTER

For fibre-free and exact contouring of soft leather.

» I USE ORIGINAL LÖWE CUTTERS EVERY DAY FOR LEATHER WORKING. THEY CUT HIGH-QUALITY AND EVEN FIBROUS MATERIALS PRECISELY AND ACCURATELY. «

*Stephanie Koop, Stoffkontor Kiel, cuts with Original LÖWE 1.105*

+ All spare parts of Original LÖWE cutters for the leather industry can be found from page 48.

## OUR ORIGINAL LÖWE ASSORTMENT OF CUTTERS FOR THE LEATHER INDUSTRY

Original LÖWE cutters are the perfect tools for working with soft or hard leather.



### Original LÖWE 1.105 Universal anvil cutter

40 mm length of cut, for all materials (except for metal)

20 cm | 7 7/8"

295 g

4 033119 000049



### Original LÖWE 3.804 Mitre cutter with trapezoidal blade

with stop faces at 45°, 50 mm length of cut, with trapezoidal blade: quick exchange without disassembly, for soft wood, plastic and rubber materials

21 cm | 8 1/4"

390 g

4 033119 000452



### Original LÖWE 3.805 Universal anvil cutter with trapezoidal blade

50 mm length of cut, with trapezoidal blade: quick exchange without disassembly, for soft wood, plastic and rubber materials

21 cm | 8 1/4"

350 g

4 033119 000735



### Original LÖWE 3.806 Flat ribbon cable cutter with trapezoidal blade

with stop faces at 90°, 50 mm length of cut, with trapezoidal blade: quick exchange without disassembly, for soft wood, plastic and rubber materials

21 cm | 8 1/4"

345 g

4 033119 000513



SCAN QR-CODE AND WATCH OUR APPLICATION VIDEOS


# Cutters for sail makers/advertising technicians

Floor layers | Tilers | Carpenters | Window building | Electrical installers  
 Scale modeling | Automotive Manufacturing | Heating and sanitation | Leather industry  
**Sail makers/advertising technicians** | Painters and upholsterers | Drainage technology  
 Workshop installation | Cutters and spare parts | Promotion materials



» THE HAND EYELET PRESS MAKES ME EXTREMELY FLEXIBLE,  
 BECAUSE I DON'T HAVE TO REMAIN IN A PERMANENT LOCATION.  
 THE EYES CUT INTO THE MATERIAL PERFECTLY. «

*Tobias Lemke, Sail Maker, works with Original LÖWE 3.904/9.5*

 All spare parts of Original LÖWE cutters for sail makers/advertising technicians can be found from page 48.

## OUR ORIGINAL LÖWE ASSORTMENT OF CUTTERS FOR SAIL MAKERS/ADVERTISING TECHNICIANS

For exact positioning and cutting of eyes for sails and advertising banners, the user requires an absolutely reliable tool: a hand eyelet press from Original LÖWE.



**Original LÖWE 3.904/9.5 Hand eyelet press**  
 suited for self-piercing eyelets in foil and tarpaulins with diameters of 9.5 mm, for tarpaulins, banners and sails

20 cm | 7 7/8"

∅ = 9.5 mm | 6/16"

435 g




**Original LÖWE 3.904/11 Hand eyelet press**  
 suited for self-piercing eyelets in foil and tarpaulins with diameters of 11 mm, for tarpaulins, banners and sails

20 cm | 7 7/8"



∅ = 11 mm | 7/16"

470 g



SCAN QR-CODE AND  
 WATCH OUR  
 APPLICATION VIDEOS

# Original LÖWE cutters for painters and upholsterers and upholsterers



## 1 3.804 MITRE CUTTER WITH TRAPEZOIDAL BLADE

For burr-free and exact cutting of base-board/three-quarter round slats.

## 2 3.106 SLAT CUTTER

For burr-free and exact cutting of crown moulding.

## 3 4 3.806 FLAT RIBBON CABLE CUTTER WITH TRAPEZOIDAL BLADE

For burr-free and exact cutting of ceiling moulding.

## 5 3.106 SLAT CUTTER

For burr-free and exact cutting of ceiling moulding.

» ORIGINAL LÖWE CUTTERS CUT CEILING MOULDING, BASEBOARD AND CROWN MOULDING EASILY AND PRECISELY FOR PREPARATION ACCORDING TO INDIVIDUAL REQUIREMENTS – SIMPLY PERFECT! «

*Marcel Münch, Painter, cuts with Original LÖWE 3.104*



SCAN QR-CODE AND WATCH OUR APPLICATION VIDEOS

All spare parts of Original LÖWE cutters for painters and upholsterers can be found from page 48.



Floor layers | Tilers | Carpenters | Window building | Electrical installers  
Scale modeling | Automotive Manufacturing | Heating and sanitation | Leather industry  
Sail makers/advertising technicians | **Painters and upholsterers** | Drainage technology  
Workshop installation | Cutters and spare parts | Promotion materials

## OUR ORIGINAL LÖWE ASSORTMENT OF CUTTERS FOR PAINTERS AND UPHOLSTERERS

Original LÖWE cutters cut ceiling mouldings, baseboard and crown mouldings easily and precisely for preparation according to individual requirements. A precise mitre cut, perpendicular cut or individual application is guaranteed with the different faces.




### Original LÖWE 3.101 Mitre cutter

with metallic handle, with stop faces at 45°, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

340 g



4 033119 000209




### Original LÖWE 3.104 Mitre cutter

with stop faces at 45°, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

375 g



4 033119 000216




### Original LÖWE 3.106 Slat cutter

with stop faces at 90°, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

370 g



4 033119 000230




### Original LÖWE 3.804 Mitre cutter with trapezoidal blade

with stop faces at 45°, 50 mm length of cut, with trapezoidal blade: quick exchange without disassembly, for soft wood, plastic and rubber materials

21 cm | 8 1/4"

390 g



4 033119 000452




### Original LÖWE 3.806 Flat ribbon cable cutter with trapezoidal blade

with stop faces at 90°, 50 mm length of cut, with trapezoidal blade: quick exchange without disassembly, for soft wood, plastic and rubber materials



21 cm | 8 1/4"

345 g



4 033119 000513

# Original LÖWE cutters for drainage technology



## 1 1.105 ANVIL CUTTER

For longitudinal cutting of hoses in order to make the connection accessible again.

## 3.204/P90 TUBE AND HOSE CUTTER

2 To cleanly cut thick-walled and hard hoses to length.

3 For burr-free cutting of PVC drainage pipes at a 90° angle.

## 5.504 HOSE CUTTER

4 For exact and perpendicular cutting of corrugated pipe at the crest or trough of the corrugation.

5 For exact, perpendicular cutting of water hoses.

» WE HAVE WORKED EXCLUSIVELY WITH ORIGINAL LÖWE CUTTERS FOR CLEAN AND PERFECT INSTALLATION IN DRAINAGE SYSTEMS FOR YEARS. «

*Fridolin Klemm, Horticulturist and Garden Centre Owner, cuts with Original LÖWE 3.204/P90*

## OUR ORIGINAL LÖWE ASSORTMENT OF CUTTERS FOR DRAINAGE TECHNOLOGY

An absolutely exact and perpendicular cut of hoses and pipes is often essential in drainage technology, because it is the only way to ensure proper connection. This is precisely what Original LÖWE tube and hose cutters offer.




### Original LÖWE 1.105 Universal anvil cutter

40 mm length of cut, for all materials (except for metal)

20 cm | 7 7/8"

295 g




### Original LÖWE 3.204/P90 Tube and hose cutter

for PVC pipes and hoses

21.5 cm | 8 1/2"

370 g




### Original LÖWE 5.104/P90 Tube and hose cutter

small version, for PVC pipes and hoses

17.5 cm | 6 3/4"

200 g




### Original LÖWE 5.504 Hose cutter

with triangular blade, cutting capacity up to a diameter of 28 mm, for corrugated pipes and soft hoses

23 cm | 9 1/16"

270 g



SCAN QR-CODE AND WATCH OUR APPLICATION VIDEOS



All spare parts of Original LÖWE cutters for drainage technology can be found from page 48.

# Original LÖWE cutters for workshop installation



## 3.104 MITRE CUTTER

- 1 For exact cutting of seals on a mitre.
- 2 For burr-free and exact cutting of HDF-board on a mitre.

## 1.105 ANVIL CUTTER

- 3 For exact cutting of rubber hoses.
- 4 For exact cutting of ropes and belts.

» I EXPECT EXACT RESULTS WITH MY WORK. THEREFORE, GOOD TOOLS ARE A NECESSITY. I CAN CUT ALMOST ANYTHING EXCEPT FOR METAL WITH MY ORIGINAL LÖWE CUTTERS. NO WORKSHOP SHOULD BE WITHOUT ORIGINAL LÖWE CUTTERS. «

*Matthias Huge, Machine Builder and Professional Craftsman, cuts with Original LÖWE 3.104*

Floor layers | Tilers | Carpenters | Window building | Electrical installers  
 Scale modeling | Automotive Manufacturing | Heating and sanitation | Leather industry  
 Sail makers/advertising technicians | Painters and upholsterers | Drainage technology  
**Workshop installation** | Cutters and spare parts | Promotion materials



## OUR ORIGINAL LÖWE ASSORTMENT OF CUTTERS FOR WORKSHOP INSTALLATION

Original LÖWE cutters are an indispensable tool that no workshop should be without for versatile use on materials such as wood, PVC, rubber, leather, etc.




### Original LÖWE 1.105 Universal anvil cutter

40 mm length of cut, for all materials (except for metal)

20 cm | 7 7/8"

295 g




### Original LÖWE 3.101 Mitre cutter

with metallic handle, with stop faces at 45°, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

340 g




### Original LÖWE 3.104 Mitre cutter

with stop faces at 45°, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

375 g




### Original LÖWE 5.105 Small anvil cutter

25 mm length of cut, for all materials (except for metal)

17.5 cm | 6 3/4"

190 g



SCAN QR-CODE AND WATCH OUR APPLICATION VIDEOS




All spare parts of Original LÖWE cutters for workshop installation can be found from page 48.

# Original LÖWE cutters and spare parts



Floor layers | Tilers | Carpenters | Window building | Electrical installers  
 Scale modeling | Automotive Manufacturing | Heating and sanitation | Leather industry  
 Sail makers/advertising technicians | Painters and upholsterers | Drainage technology  
 Workshop installation | **Cutters and spare parts** | Promotion materials




## Original LÖWE 1.105 Universal anvil cutter

40 mm length of cut,  
for all materials (except for metal)

20 cm | 7 7/8"

295 g



Spare parts			Item No.	Description	EAN-Code
			1.001	Blades Original LÖWE 1, 5 pieces in a box	4 033119 001015
			1.001/B	Blade Original LÖWE 1, 1 piece in a blister	4 033119 001183
			1.002	Anvil (base) Original LÖWE 1/2	4 033119 001503
			1.002/B	Anvil (base) for Original LÖWE 1/2 with screw and sleeve, including: 1.002 + 1.006	4 033119 001794
			1.003	Spring with screw and nut	4 033119 002012
			1.004/04	Pair of handles for handle type 04	4 033119 002029
			1.005	Bolt with sleeve and nut	4 033119 002036
			1.006	Screws with sleeve for anvil	4 033119 002043
			1.007	Set spare parts Original LÖWE 1 in a blister, including: 1.001 + 1.002 + 1.003 + 1.005 + 1.006	4 033119 002517
			1.009	Fastener	4 033119 002197

## INDEX

Original LÖWE 1.105	Page 49	Original LÖWE 3.904/9.5, 3.904/11	Page 60
Original LÖWE 3.101, 3.104, 3.105, 3.106, 3.106/50K	Page 50	Original LÖWE 4.104/V, 4.104/VR	Page 61
Original LÖWE 3.104/HU, 3.105/HU, 3.106/HU	Page 52	Original LÖWE 4.104/Y, 4.104/YR	Page 62
Original LÖWE 3.204, 3.204/16U19, 3.204/P90	Page 53	How to use our cutters for sealing profiles	Page 63
Original LÖWE 3.304, 3.305, 3.306	Page 54	Original LÖWE 4.204	Page 64
Original LÖWE 3.304/HU, 3.305/HU, 3.306/HU	Page 55	Original LÖWE 5.104/P90	Page 65
Original LÖWE 3.604, 3.605, 3.606	Page 56	Original LÖWE 5.105, 5.504	Page 66
Original LÖWE 3.604/HU, 3.605/HU, 3.606/HU	Page 57	Original LÖWE 50.130, 51.130	Page 67
Original LÖWE 3.704, 3.704/16U19	Page 58	Accessories and promotion materials	Page 67
Original LÖWE 3.804, 3.805, 3.806	Page 59		



SCAN QR-CODE AND WATCH OUR APPLICATION VIDEOS



# Original LÖWE cutters and spare parts




## Original LÖWE 3.101 Mitre cutter

with metallic handle, with stop faces at 45°, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

340 g




## Original LÖWE 3.104 Mitre cutter

with stop faces at 45°, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

375 g




## Original LÖWE 3.105 Universal anvil cutter

50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

325 g




## Original LÖWE 3.106 Slat cutter

with stop faces at 90°, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

370 g




## Original LÖWE 3.106/50K Slat cutter

with stop faces at 90°, with plastic underlayment, 50 mm length of cut, for wood, plastic and rubber materials

21 cm | 8 1/4"

315 g



Floor layers | Tilers | Carpenters | Window building | Electrical installers  
Scale modeling | Automotive Manufacturing | Heating and sanitation | Leather industry  
Sail makers/advertising technicians | Painters and upholsterers | Drainage technology  
Workshop installation | **Cutters and spare parts** | Promotion materials



Spare parts			Item No.	Description	EAN-Code
			3.001/B	Blade Original LÖWE 3, 1 piece in a blister	4 033119 001206
			3.001	Blades Original LÖWE 3, 5 pieces in a box	4 033119 001091
			3.002	Anvil (base) for mitre cutter, 50mm length of cut	4 033119 001565
			3.002/OG50	Anvil (base) for 50mm length of cut	4 033119 001824
			3.002/50K	Anvil (base) for flat ribbon cable cutter, 50mm length of cut	4 033119 001800
			3.002/3.106	Pair of stop faces 90° for slat cutter	4 033119 002463
			1.003	Spring with screw and nut	4 033119 002012
			1.004/04	Pair of handles for handle type 04	4 033119 002029
			1.005	Bolt with sleeve and nut	4 033119 002036
			3.006	Screw with nut for anvil (base)	4 033119 002302
			3.007	Set spare parts Original LÖWE 3 in a blister, including: 3.001 + 3.002 + 1.005 + 3.006	4 033119 002609
			1.009	Fastener	4 033119 002197



SCAN QR-CODE AND WATCH OUR APPLICATION VIDEOS

# Original LÖWE cutters and spare parts



## Original LÖWE 3.104/HU Mitre cutter

with leverage, with stop faces at 45°, 50 mm length of cut, for hard and flat wood, plastic and rubber materials

21 cm | 8 1/4"

390 g

$s_{max} = 50 \text{ mm} | 2"$   
 $h_{max} = 5 \text{ mm} | 1/5"$   
 $b_{max} = 35 \text{ mm} | 1 3/8"$

4 033119 000223



## Original LÖWE 3.105/HU Universal anvil cutter

with leverage, 50 mm length of cut, for hard and flat wood, plastic and rubber materials

21 cm | 8 1/4"

350 g

$b_{max} = 50 \text{ mm} | 2"$   
 $h_{max} = 5 \text{ mm} | 1/5"$

4 033119 000575



## Original LÖWE 3.106/HU Slat cutter

with leverage, with stop faces at 90°, 50 mm length of cut, for hard and flat wood, plastic and rubber materials

21 cm | 8 1/4"

410 g

$b_{max} = 50 \text{ mm} | 2"$   
 $h_{max} = 5 \text{ mm} | 1/5"$

4 033119 000582

Spare parts	Item No.	Description	EAN-Code
	3.001/B	Blade Original LÖWE 3, 1 piece in a blister	4 033119 001206
	3.001	Blades Original LÖWE 3, 5 pieces in a box	4 033119 001091
	3.002	Anvil (base) for mitre cutter, 50 mm length of cut	4 033119 001565
	3.002/OG50	Anvil (base) for 50 mm length of cut	4 033119 001824
	3.002/3.106	Pair of stop faces 90° for slat cutter	4 033119 002463
	1.003/HU	Spring with screw and nut, for cutters with leverage (2 pieces)	4 033119 002364
	1.004/HU	Pair of handles for cutters with leverage	4 033119 002357
	3.005/HU	Pair of bolts with nut and sleeve, for cutters with leverage	4 033119 002340
	3.006	Screw with nut for anvil (base)	4 033119 002302
	3.007/HU	Set spare parts Original LÖWE 3 for cutters with leverage in a blister, incl.: 3.001 + 3.002 + 3.005/HU + 3.006	4 033119 002418
	3.009/HU	Bolt with screw and nut, for cutters with leverage	4 033119 002395

Floor layers | Tilers | Carpenters | Window building | Electrical installers  
 Scale modeling | Automotive Manufacturing | Heating and sanitation | Leather industry  
 Sail makers/advertising technicians | Painters and upholsterers | Drainage technology  
 Workshop installation | **Cutters and spare parts** | Promotion materials



## Original LÖWE 3.204 Tube cutter

for PVC pipes; different diameters available on request, minimum quantity: 25 pieces

21.5 cm | 8 1/2"

360 g

different diameters available on request

4 033119 000384



## Original LÖWE 3.204/16U19 Tube cutter

for PVC pipes with diameters of 16 mm and 19 mm

21.5 cm | 8 1/2"

360 g

$\varnothing = 16 \text{ mm and } 19 \text{ mm} | 5/8" \text{ and } 3/4"$   
 other diameters available on request

4 033119 000346



## Original LÖWE 3.204/P90 Tube and hose cutter

for PVC pipes and hoses

21.5 cm | 8 1/2"

370 g

$b_{max} = 45 \text{ mm} | 1 3/4"$   
 $h_{max} = 25 \text{ mm} | 1"$   
 $\varnothing_{max} = 32 \text{ mm} | 1 1/4"$

4 033119 000391





Spare parts	Item No.	Description	EAN-Code
	3.001/B	Blade Original LÖWE 3, 1 piece in a blister	4 033119 001206
	3.001	Blades Original LÖWE 3, 5 pieces in a box	4 033119 001091
	3.002/3.204/16U19	Anvil (base) for tube cutter 3.204/16U19	4 033119 001626
	3.002/3.204/P90	Anvil (base) for tube and hose cutter 3.204/P90	4 033119 001619
	1.003	Spring with screw and nut	4 033119 002012
	1.004/04	Pair of handles for handle type 04	4 033119 002029
	1.005	Bolt with sleeve and nut	4 033119 002036
	3.006	Screw with nut for anvil (base)	4 033119 002302
	1.009	Fastener	4 033119 002197

# Original LÖWE cutters and spare parts



## Original LÖWE 3.304 Mitre Cutter





with stop faces at 45°, 75 mm length of cut, for wood, plastic and rubber materials

 24.5 cm | 9 5/8"
 

 4 033119 000247



## Original LÖWE 3.305 Universal anvil cutter





75 mm length of cut, for wood, plastic and rubber materials



















 24.5 cm | 9 5/8"
 

 4 033119 000186



## Original LÖWE 3.306 Slat cutter

with stop faces at 90°, 75 mm length of cut, for wood, plastic and rubber materials

 24.5 cm | 9 5/8"
 

 4 033119 000261


Spare parts			Item No.	Description	EAN-Code
			3.001/75	Blade Original LÖWE 3 long, 1 piece in a blister	 4 033119 001329
			3.002/0G75	Anvil (base) for 75 mm length of cut	 4 033119 001831
			3.002/3.304	Anvil (base) mitre cutter (45°) for 75 mm length of cut	 4 033119 001701
			3.002/3.306	Anvil (base) slat cutter (90°) for 75 mm length of cut	 4 033119 001718
			1.003	Spring with screw and nut	 4 033119 002012
			1.004/04	Pair of handles for handle type 04	 4 033119 002029
			1.005	Bolt with sleeve and nut	 4 033119 002036
			3.006	Screw with nut for anvil (base)	 4 033119 002302
			1.009	Fastener	 4 033119 002197

Floor layers | Tilers | Carpenters | Window building | Electrical installers  
 Scale modeling | Automotive Manufacturing | Heating and sanitation | Leather industry  
 Sail makers/advertising technicians | Painters and upholsterers | Drainage technology  
 Workshop installation | **Cutters and spare parts** | Promotion materials



## Original LÖWE 3.304/HU Mitre cutter

with leverage, with stop faces at 45°, 75 mm length of cut, for hard and flat wood, plastic and rubber materials





 24.5 cm | 9 5/8"
 

 4 033119 000254



## Original LÖWE 3.305/HU Universal anvil cutter





with leverage, 75 mm length of cut, for hard and flat wood, plastic and rubber materials



















 24.5 cm | 9 5/8"
 

 4 033119 000193



## Original LÖWE 3.306/HU Slat cutter

with leverage, with stop faces at 90°, 75 mm length of cut, for hard and flat wood, plastic and rubber materials

 24.5 cm | 9 5/8"
 

 4 033119 000278

Spare parts			Item No.	Description	EAN-Code
			3.001/75	Blade Original LÖWE 3 long, 1 piece in a blister	 4 033119 001329
			3.002/0G75	Anvil (base) for 75 mm length of cut	 4 033119 001831
			3.002/3.304	Anvil (base) mitre cutter (45°) for 75 mm length of cut	 4 033119 001701
			3.002/3.306	Anvil (base) slat cutter (90°) for 75 mm length of cut	 4 033119 001718
			1.003/HU	Spring with screw and nut, for cutters with leverage (2 pieces)	 4 033119 002364
			1.004/HU	Pair of handles for cutters with leverage	 4 033119 002357
			3.005/HU	Pair of bolts with nut and sleeve, for cutters with leverage	 4 033119 002340
			3.006	Screw with nut for anvil (base)	 4 033119 002302
			3.009/HU	Screw with nut for anvil (base)	 4 033119 002395

# Original LÖWE cutters and spare parts



Floor layers | Tilers | Carpenters | Window building | Electrical installers  
 Scale modeling | Automotive Manufacturing | Heating and sanitation | Leather industry  
 Sail makers/advertising technicians | Painters and upholsterers | Drainage technology  
 Workshop installation | **Cutters and spare parts** | Promotion materials




## Original LÖWE 3.604 Cable duct cutter

with stop faces at 45°, 75 mm length of cut,  
for PVC cables, wiring conduits and plastic rails

24.5 cm | 9 5/8"

400 g



4 033119 000285




## Original LÖWE 3.605 Cable duct cutter

75 mm length of cut,  
for PVC cables, wiring conduits and plastic rails

24.5 cm | 9 5/8"

330 g



4 033119 000537




## Original LÖWE 3.606 Cable duct cutter

with stop faces at 90°, 75 mm length of cut,  
for PVC cables, wiring conduits and plastic rails

24.5 cm | 9 5/8"

390 g



4 033119 000520




## Original LÖWE 3.604/HU Cable duct cutter

with leverage, with stop faces at 45°, 75 mm length of cut,  
for hard and flat PVC cables, wiring conduits and plastic rails

24.5 cm | 9 5/8"

440 g



4 033119 000292




## Original LÖWE 3.605/HU Cable duct cutter

with leverage, 75 mm length of cut,  
for hard and flat PVC cables, wiring conduits and plastic rails

24.5 cm | 9 5/8"

365 g



4 033119 000551




## Original LÖWE 3.606/HU Cable duct cutter

with leverage, with stop faces at 90°, 75 mm length of cut,  
for hard and flat PVC cables, wiring conduits and plastic rails

24.5 cm | 9 5/8"

425 g



4 033119 000544

Spare parts			Item No.	Description	EAN-Code
			3.001/75	Blade Original LÖWE 3 long, 1 piece in a blister	4 033119 001329
			3.002/75K	Anvil for cable duct cutter	4 033119 001817
			3.002/3.604	Pair of stop faces 45° for cable duct cutter	4 033119 001725
			3.002/3.606	Pair of stop faces 90° for cable duct cutter	4 033119 001732
			1.003	Spring with screw and nut	4 033119 002012
			1.004/04	Pair of handles for handle type 04	4 033119 002029
			1.005	Bolt with sleeve and nut	4 033119 002036
			1.009	Fastener	4 033119 002197

Spare parts			Item No.	Description	EAN-Code
			3.001/75	Blade Original LÖWE 3 long, 1 piece in a blister	4 033119 001329
			3.002/75K	Anvil for cable duct cutter	4 033119 001817
			3.002/3.604	Pair of stop faces 45° for cable duct cutter	4 033119 001725
			3.002/3.606	Pair of stop faces 90° for cable duct cutter	4 033119 001732
			1.003/HU	Spring with screw and nut, for cutters with leverage, 2 pieces	4 033119 002364
			1.004/HU	Pair of handles, for cutters with leverage	4 033119 002357
			3.005/HU	Pair of bolts with nut and sleeve, for cutters with leverage	4 033119 002340
			3.006	Screw with nut for anvil (base)	4 033119 002302
			3.009/HU	Bolt with screw and nut, for cutters with leverage	4 033119 002395

# Original LÖWE cutters and spare parts



## Original LÖWE 3.704 Tube cutter

for cable conduits; different diameters available on request, minimum quantity: 25 pieces

23 cm | 9 1/16"

315 g



different diameters available on request



## Original LÖWE 3.704/16U19 Tube cutter

for cable conduits with diameters of 16 mm and 19 mm

23 cm | 9 1/16"

315 g



Ø = 16 mm and 19 mm  
5/8" and 3/4"  
other diameters available on request



Spare parts			Item No.	Description	EAN-Code
			3.001/B	Blade Original LÖWE 3, 1 piece in a blister	4 033119 001206
			3.001	Blades Original LÖWE 3, 5 pieces in a box	4 033119 001091
			3.002/3.704/16U19	Anvil (base) for tube cutter 3.704/16U19	4 033119 001855
			1.003	Spring with screw and nut	4 033119 002012
			1.004/04	Pair of handles for handle type 04	4 033119 002029
			1.005	Bolt with sleeve and nut	4 033119 002036
			3.006	Screw with nut for anvil (base)	4 033119 002302
			1.009	Fastener	4 033119 002197



SCAN QR-CODE AND WATCH OUR APPLICATION VIDEOS



Floor layers | Tilers | Carpenters | Window building | Electrical installers  
Scale modeling | Automotive Manufacturing | Heating and sanitation | Leather industry  
Sail makers/advertising technicians | Painters and upholsterers | Drainage technology  
Workshop installation | **Cutters and spare parts** | Promotion materials




## Original LÖWE 3.804 Mitre cutter with trapezoidal blade

with stop faces at 45°, 50 mm length of cut, with trapezoidal blade: quick exchange without disassembly, for soft wood, plastic and rubber materials

21 cm | 8 1/4"

390 g




## Original LÖWE 3.805 Universal anvil cutter with trapezoidal blade

50 mm length of cut, with trapezoidal blade: quick exchange without disassembly, for soft wood, plastic and rubber materials

21 cm | 8 1/4"

350 g




## Original LÖWE 3.806 Flat ribbon cable cutter with trapezoidal blade

with stop faces at 90°, 50 mm length of cut, with trapezoidal blade: quick exchange without disassembly, for soft wood, plastic and rubber materials

21 cm | 8 1/4"

345 g



Spare parts			Item No.	Description	EAN-Code
			3.001/TR/10	Trapezoidal blades, 10 pieces in a box	4 033119 001435
			3.010	Mounting support for trapezoidal blades with rail clip and screw	4 033119 002371
			3.002	Anvil (base) for mitre cutter, 50 mm length of cut	4 033119 001565
			3.002/0G50	Anvil (base), for 50 mm length of cut	4 033119 001824
			3.002/50K	Anvil for flat ribbon cable cutter, 50 mm length of cut	4 033119 001800
			1.003	Spring with screw and nut	4 033119 002012
			1.004/04	Pair of handles for handle type 04	4 033119 002029
			1.005	Bolt with sleeve and nut	4 033119 002036
			1.009	Fastener	4 033119 002197
			3.006	Screw with nut for anvil (base)	4 033119 002302

# Original LÖWE cutters and spare parts



## Original LÖWE 3.904/9.5 Hand eyelet press


suitable for self-piercing eyelets in foil and tarpaulins with diameters of 9.5 mm, for tarpaulins, banners and sails

20 cm | 7 7/8"

435 g



Ø = 9.5 mm | 9/16"



4 033119 000834



## Original LÖWE 3.904/11 Hand eyelet press


suitable for self-piercing eyelets in foil and tarpaulins with diameters of 11 mm, for tarpaulins, banners and sails

20 cm | 7 7/8"

470 g



Ø = 11 mm | 7/16"



4 033119 000681

Spare parts		Item No.	Description	EAN-Code
		1.003/HU	Spring with screw and nut, for cutters with leverage (2 pieces)	4 033119 002364
		1.004/HU	Pair of handles for cutters with leverage	4 033119 002357
		3.005/HU	Pair of bolts with nut and sleeve, for cutters with leverage	4 033119 002340
		3.009/HU	Screw with nut for anvil (base)	4 033119 002395
Consumables				
		0.039/9.5/C	self-piercing eyelets, chromed, 9.5 mm, grommets and washers, 500 eyelets	4 033119 003033
		0.039/9.5/M	self-piercing eyelets, brass, 9.5 mm, grommets and washers, 500 eyelets	4 033119 003040
		0.039/11/C	self-piercing eyelets, chromed, 11 mm, grommets and washers, 500 eyelets	4 033119 003057
		0.039/11/M	self-piercing eyelets, brass, 11 mm, grommets and washers, 500 eyelets	4 033119 003064

Floor layers | Tilers | Carpenters | Window building | Electrical installers  
 Scale modeling | Automotive Manufacturing | Heating and sanitation | Leather industry  
 Sail makers/advertising technicians | Painters and upholsterers | Drainage technology  
 Workshop installation | **Cutters and spare parts** | Promotion materials



## Original LÖWE 4.104/V Cutter for sealing profiles

V-cut, fold outer edge, for cutting outer corners of window sealing profiles

22 cm | 8 5/8"

415 g



4 033119 000322



## Original LÖWE 4.104/VR Cutter for sealing profiles

V-cut, fold outer edge, with draw-in roller, for cutting outer corners of window sealing profiles

23 cm | 9 1/16"

460 g



4 033119 000308

Spare parts		Item No.	Description	EAN-Code
		4.021/V	Pair of blades Original LÖWE 4 V-cut (2 pieces)	4 033119 0001442
		4.002	Anvil for cutter for sealing profiles without stop faces	4 033119 0001930
		4.002/V	Anvil for cutter for sealing profiles 4.104/V	4 033119 001596
		1.003	Spring with screw and nut	4 033119 002012
		1.004/04	Pair of handles for handle type 04	4 033119 002029
		1.005	Bolt with sleeve and nut	4 033119 002036
		1.009	Fastener	4 033119 002197
		2.008	Adjusting screw for variable handle width	4 033119 002050
		4.006	Screw with nut for anvil (base) Original LÖWE 4	4 033119 0004061
		4.010/V	Cutting unit 4.104/V with blades, unmounted	4 033119 002388
		4.009	Draw-in roller	4 033119 002159

# Original LÖWE cutters and spare parts

Floor layers | Tilers | Carpenters | Window building | Electrical installers  
 Scale modeling | Automotive Manufacturing | Heating and sanitation | Leather industry  
 Sail makers/advertising technicians | Painters and upholsterers | Drainage technology  
 Workshop installation | **Cutters and spare parts** | Promotion materials



## Original LÖWE 4.104/Y Cutter for sealing profiles

Y-cut,  
for cutting inner corners of window sealing profiles



## Original LÖWE 4.104/YR Cutter for sealing profiles

Y-cut, with draw-in roller,  
for cutting inner corners of window sealing profiles




Spare parts			Item No.	Description	EAN-Code
			4.021/Y	Set of blades Original LÖWE 4 Y-cut (4 pieces)	4 033119001459
			4.002	Anvil for cutter for sealing profiles without stop faces	4 033119001930
			4.002/Y	Anvil for cutter for sealing profiles 4.104/Y	4 033119 001879
			1.003	Spring with screw and nut	4 033119 002012
			1.004/04	Pair of handles for handle type 04	4 033119 002029
			1.005	Bolt with sleeve and nut	4 033119 002036
			1.009	Fastener	4 033119 002197
			2.008	Adjusting screw for variable handle width	4 033119 002050
			4.006	Screw with nut for anvil (base) Original LÖWE 4	4 033119004067
			4.010/Y	Cutting unit 4.104/Y with blades, unmounted	4 033119002432
			4.012/Y	Position brace for inner corners	4 033119002470

### HOW TO USE OUR CUTTERS FOR SEALING PROFILES:


Use V-cut | outer corner

Use Y-cut | inner corner



1. Fix window seal and let it run down across window-frame 2. Apply cutter flush with first stop angle to window-frame, then position window seal straight on base 3. The result of the following cut is a notch in the window seal 4. Now it's possible to fix the window seal at right angles easily 5. For the final cut apply cutter with second stop angle at window seal 6. The beginning and end of the window seal meet flush.

1. Fix window seal and let it run down across window-frame 2. Apply cutter flush with stop plate to window-frame, then position window seal straight on base 3. The result of the following cut is a notch in the window seal 4. With the gained rear tension release of the seal, it's possible to fix the window seal at right angles easily 5. Now the window seal can be fitted easily into the corner 6. The result is an efficient and uninterrupted inner corner of the window seal.



SCAN QR-CODE AND WATCH OUR APPLICATION VIDEOS

# Original LÖWE cutters and spare parts



## Original LÖWE 4.204 Cutter for sealing profiles

A-cut, reverse arrangement of the blades compared to model 4.104, for expansion beads of facade sealing band

22 cm | 8 5/8"

410 g



4 033119 000698

Spare parts			Item No.	Description	EAN-Code
			4.001/A	Pair of blades Original LÖWE 4 A-Cut (2 pieces)	4 033119 001374
			4.002/A	Anvil for cutter for sealing profiles 4.204	4 033119 001787
			1.003	Spring with screw and nut	4 033119 002012
			1.004/04	Pair of handles for handle type 04	4 033119 002029
			1.005	Bolt with sleeve and nut	4 033119 002036
			1.009	Fastener	4 033119 002197
			2.008	Adjusting screw for variable handle width	4 033119 002050
			4.006	Screw with nut for anvil (base) Original LÖWE 4	4 033119 004067
			4.010/A	Cutting unit 4.204 with blades, unmounted	4 033119 002449



Floor layers | Tilers | Carpenters | Window building | Electrical installers  
 Scale modeling | Automotive Manufacturing | Heating and sanitation | Leather industry  
 Sail makers/advertising technicians | Painters and upholsterers | Drainage technology  
 Workshop installation | **Cutters and spare parts** | Promotion materials




## Original LÖWE 5.104/P90 Tube and hose cutter

small version, for PVC pipes and hoses

17.5 cm | 6 3/4"

200 g



4 033119 000407

Spare parts			Item No.	Description	EAN-Code
			5.001/B	Blade Original LÖWE 5, 1 piece in a blister	4 033119 001220
			5.001	Blades Original LÖWE 5, 5 pieces in a box	4 033119 001381
			5.002/P90	Anvil (base) for small tube and hose cutter	4 033119 001695
			1.006	Screws with sleeve for anvil	4 033119 002043
			5.003	Spring with screw and nut	4 033119 002128
			5.004/04	Pair of handles for handle type 04	4 033119 002203
			5.005	Bolt with sleeve and nut	4 033119 002135
			5.009	Fastener with bolt and nut	4 033119 002210



SCAN QR-CODE AND WATCH OUR APPLICATION VIDEOS

# Original LÖWE cutters and spare parts




Floor layers | Tilers | Carpenters | Window building | Electrical installers  
 Scale modeling | Automotive manufacturing | Heating and sanitation | Leather industry  
 Sail makers/advertising technicians | Painters and upholsterers | Drainage technology  
 Workshop installation | **Cutters and spare parts** | **Promotion materials**




## Original LÖWE 5.105 Small anvil cutter

25 mm length of cut,  
for all materials (except for metal)




## Original LÖWE 5.504 Hose cutter

with triangular blade, cutting capacity up to a diameter of 28 mm,  
for corrugated pipes and soft hoses




## Original LÖWE 50.130 Lever cutter

with stop faces at 45° and 90°, 130 mm length of cut,  
for large-format rails and profiles in a wide variety of materials



## Original LÖWE 51.130 Lever cutter

with stop faces at 90°, 130 mm length of cut,  
for large-format PVC wiring conduits  
and hard and flat plastic rails



Spare parts			Item No.	Description	EAN-Code
			5.001/B	Blade Original LÖWE 5.105, 1 piece in a blister	4 033119 001220
			5.001	Blades Original LÖWE 5.105, 5 pieces in a box	4 033119 001381
			5.002	Anvil (base) Original LÖWE 5	4 033119 001558
			5.007	Set spare parts Original LÖWE 5 in a blister, including: 5.001 + 5.002 + 5.003 + 5.005 + 1.006	4 033119 002548
			5.004/04	Pair of handles for handle type 04	4 033119 002203
			1.006	Screws with sleeve for anvil	4 033119 002043
			5.003	Spring with screw and nut	4 033119 002128
			5.005	Bolt with sleeve and nut	4 033119 002135
			5.009	Fastener with bolt and nut	4 033119 002210
			5.031	Triangular blade Original LÖWE 5.504	4 033119 001336
			5.032	Anvil (base) for hose cutter Original LÖWE 5.504	4 033119 001848

Spare parts			Item No.	Description	EAN-Code
			50.001	Blade Original LÖWE 50/51, 1 piece in a blister	4 033119 001275
			50.002	Anvil (base) Original LÖWE 50.130	4 033119 001893
			51.002	Anvil (base) Original LÖWE 51.130	4 033119 001961

Original LÖWE Accessories		Item No.	Description	EAN-Code
		0021	Sharpener	4 033119 003019

Original LÖWE Promotion materials		Item No.	Description	EAN-Code
			<b>Banner, different styles to select</b> dimension: 500 x 1800 mm	
		9931	<b>Brochure cutters for industry and trade</b>	4 033119 003453
		9920	<b>Sample case of cutters for industry and trade</b> 21 spaces, without content	4 033119 003231
		9909	<b>Selling display</b> for 30 cutters	4 033119 003248
		9938	<b>Sticker logo + Original LÖWE 3</b> dimension: 385 x 90 mm	4 033119 003361
		9926	<b>Small sticker logo</b> dimension: 210 x 75 mm	4 033119 003316

Supplier information and publisher  
 Gebr. Schröder GmbH · Konrad-Zuse-Ring 3 · DE-24220 FLINTBEK  
 Tel. +49 4347 71170-0 · Fax +49 4347 71170-69  
 e-mail info@original-loewe.de · www.original-loewe.com

Managing Director: Randolph Schröder  
 Commercial register: Kiel district court  
 HRB 1931 · Tax ID 20/297/05987  
 VAT ID DE 134 877 364

Sizes and weights rounded to the nearest unit. All illustrations are non-binding. Subject to change and correction. Our General Terms and Conditions hereby apply. These can be viewed online at www.original-loewe.com/gtc. May only be reproduced with the publisher's permission.

Photos: Gebr. Schröder GmbH, Oliver Franke · www.foto-oliverfranke.de, Münchow Industriefotos · Layout/Design: media4motion Werbeagentur GmbH · www.media4motion.com

No discounts on promotion materials.



## Original LÖWE 10

### Outstanding cutting capacity for highest demands

- » the best of all of our Original LÖWE pruning shears combined into one new product
- » outstanding cutting capacity up to  $\varnothing$  30 mm
- » closer to the stem pruning
- » as robust as our millionfold standard model Original LÖWE 1



[S] 20,5 cm | 8"   [C] 30 mm | 1 1/5"

**NEW**



#### Original LÖWE 10.107 handle curved inwards

for medium and large hand sizes

[W] 285 g

[H] M



## THE BEST OF ALL OF OUR ORIGINAL LÖWE PRUNING SHEARS

### ANVIL TECHNOLOGY AND BYPASS GEOMETRY

We combined the advantages of anvil technology and bypass geometry into a new-to-market pruning shears – our novel Original LÖWE 10. This innovative model is the perfect solution for utmost requirements due to its durable, robust construction, slim, and tapered design.

### OUTSTANDING CUTTING CAPACITY UP TO $\varnothing$ 30 MM

Due to its innovative design, the cutting capacity has been extended up to 30mm, which also optimizes its power transmission. The outstanding cutting capacity turns Original LÖWE 10 into an efficient cutting tool making it an acceptable alternative to loppers for branches up to 30mm.

### CLOSER TO THE STEM PRUNING

With its off-center positioned blade, Original LÖWE 10 enables pruning closer to the stem. Furthermore, Original LÖWE 10 blades' bypass geometry prevents clippings from slipping out. The slim, tapered design also allows to cut branches in narrow and hard-to-reach areas.

Your Original LÖWE dealer

Are you interested in our Original LÖWE cutters or do you have any questions? We will gladly answer all your questions on the phone +49 4347 71170-0 or via e-mail: [info@original-loewe.de](mailto:info@original-loewe.de)



**Gebr. Schröder GmbH**  
Konrad-Zuse-Ring 3  
DE-24220 FLINTBEK  
**fon** +49 4347 71170-0  
**fax** +49 4347 71170-69  
**info@original-loewe.de**

**Quality prevails.**  
**Original LÖWE, made in Germany since 1923.**



**www.original-loewe.com**  
[facebook.com/originalloewe](https://facebook.com/originalloewe)